

Assignment 11

Module: Graphs

Instructions:

- HONOR CODE: WORK ON THIS ASSIGNMENT WITH AT MOST ONE PARTNER. BETWEEN DIFFERENT TEAMS, COLLABORATION IS AT LEVEL 1 [VERBAL COLLABORATION ONLY]
 - Write each problem on a separate page; If a problem has multiple parts, you can write all parts on the same page, as long as you leave space in between them.
-

1. Assume you are given a DAG (directed acyclic graph) G , and you want to compute *longest* paths rather than shortest. The edges do not have weights; the length of a path is the number of edges on the path.
 - (a) Given a vertex u in G , describe how to compute the longest path from u . Ideally your algorithm will run in $O(V + E)$ time (Hint: dynamic programming).
 - (b) Describe how to compute the longest path in G . Ideally your algorithm will run in $O(V + E)$ time.

Note: The problem of determining the *longest path* is known to be NP-complete on arbitrary graphs. On DAGs it can be solved in linear time.

2. Given a DAG, design a linear time algorithm to determine whether there is a directed path that visits each vertex exactly one.

Notes: In an undirected graph G : A path that visits each vertex exactly once is called a *Hamiltonian path*. A cycle that visits each vertex once is called a *Hamiltonian cycle*, and a graph that has a Hamiltonian cycle is called a *Hamiltonian graph*. The problem of determining whether an arbitrary graph has a Hamiltonian path/cycle is known to be NP-complete. On DAGs this problems can be solved in linear time.